

# FULL QUALITY ASSURANCE CERTIFICATE

Certificate No.:  
10707-2017-CE-USA-ACCREDIA

Initial date:  
29 July, 2014

Valid:  
25 July, 2017 – 16 July, 2020

This certificate consists of 2 pages

This is to certify that the quality system of

## **Taylor Valve Technology Inc.**

8300 SW 8th Street, Oklahoma City, OK 73128 - USA

has been assessed and found to comply with respect to the conformity assessment procedure described in:

### **ANNEX III MODULE H OF DIRECTIVE 2014/68/EU ON PRESSURE EQUIPMENT**

This certificate is valid for the following scope:

Type of Pressure Equipment

**Pressure Accessory**

Product Name

**Chokes**

Place and date:  
**Vimercate 03 August, 2017**



SGQ N° 003 A	EMAS N° 009 P
SGA N° 003 D	PRD N° 003 B
SGE N° 007 M	PRS N° 004 C
SCR N° 004 F	SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento SGQ, SGA, PRD, PRS, ESP, GHG, LAB e LAT, di MLA EAF per gli schemi di accreditamento SGQ, SGA, SSI, FSM e PRD e di MRA ILAC per gli schemi di accreditamento LAB, MED, LAT e ISF

For the notified body 0496:  
**DNV GL Business Assurance Italia  
S.r.l.**

**Nicola Privato**  
Management Representative

Certificate No.: 10707-2017\_CE-USA-ACCREDIA  
 Place and date: Vimercate 03 August, 2017  
 Revision No: 00

**Jurisdiction**

Application of Directive 2014/68/EU and Decreto Legislativo n. 26 of 15 February 2016.

**Certificate history**

Revision	Description	Issue date
00	Original certificate 4903-2014-CE-HOU-ACCREDIA	29 July, 2014
00	Recertification – Reissue under new PED	03 August, 2017

**Products covered by this certificate**

Product name	Product description	Type of material	Applied product standard
Chokes	Choke Models RB 2" – 4", 6"	Ferritic and Austenitic steels	API 6A 20 <sup>th</sup> Ed.
Chokes	Choke Models MDI/MDA/MDAS/MDIS, MC, MCX 1"-3"	Ferritic and Austenitic steels	ASME Sect VIII Div 2, 2015 Sect. 4, ASME B16.34 Ed. 13

**Sites covered by this certificate**

Site name	Site Address	Audited by	Date	Report ref
Taylor Valve Technology Inc.	8300 SW 8th Street, Oklahoma City, OK 73128 - USA	Rudy Frueboes	19 – 21 June 2017	Report dated 22 June 2017

**Applications/limitations**

- RB Chokes 3", 4", 6" 6000 psig (413.7 barg);
- RB Chokes 2" 10000 psig (689.5 barg);
- MDA/MDI 1", 2" 3600 psig (344.7 barg);
- MC 1", 2" 3600 psig (248.2 barg);
- MCX/MDI 3" 3000 psig (206.8 barg);
- MDAS/MDIS 1333 psig (91.9 barg);
- Temperature range for all -20°F (-28.9°C) to +400°F (+204.3°C).

**Terms and conditions for the certificate**

Valid terms and conditions are found in the DNV GL's PED Certification Rules.

END OF CERTIFICATE